









## THE WORLD'S MOST POWERFUL LED LIGHT

### **Technical Specifications**

Luminous Efficacy	Leds	Beam Angle
150Lm/W	SMD5050	15°/30°/60°/90 °/T2


Driver: INVENTRONICS

**CRI:** >70

**CCT:** 5000K standard - other options available.

**EXTRA LARGE PLUS** 


### **DOMINATOR PRO - WITH INTEGRATED DRIVER BOX**





**EXTRA LARGE** 

#### DOMINATOR PRO - WITH A SEPARATE DRIVER BOX







1000W / 1200W / 1400W / 1500W / 1600W

N.W.: 34.5 kg







# THE WORLD'S MOST POWERFUL LED LIGHT

**Technical Specifications** 



Dominator PRO
DP Large

Dominator PRO
DP Extra Large


**Dominator PRO**DP Extra Large Plus


### **Specifications**

Item	Power	Luminous Efficacy	Luminous Flux	Leds	CRI	Weight	Beam Angle
DP1200W	1200W	150Lm/W	180,000 Lm	SMD5050	>70	35kg(77.2lbs)	15°/30°/60°/90°/T2
DP1500W	1500W	150Lm/W	225,000 Lm	SMD5050	>70	35kg(77.2lbs)	15°/30°/60°/90°/T2
DP1600W	1600W	150Lm/W	240,000 Lm	SMD5050	>70	35kg(77.2lbs)	15°/30°/60°/90°/T2
DP2400W	2400W	150Lm/W	360,000 Lm	SMD5050	>70	68kg(149.9lbs)	15°/30°/60°/90°/T2
DP3000W	3000W	150Lm/W	450,000 Lm	SMD5050	>70	68kg(149.9lbs)	15°/30°/60°/90°/T2
DP3200W	3200W	150Lm/W	480,000 Lm	SMD5050	>70	68kg(149.9lbs)	15°/30°/60°/90°/T2
DP3600W	3600W	150Lm/W	540,000 Lm	SMD5050	>70	110kg(242.5lbs)	15°/30°/60°/90°/T2
DP4500W	4500W	150Lm/W	675,000 Lm	SMD5050	>70	110kg(242.5lbs)	15°/30°/60°/90°/T2
DP4800W	4800W	150Lm/W	720,000 Lm	SMD5050	>70	110kg(242.5lbs)	15°/30°/60°/90°/T2


**Technical Specifications** 

#### PHOTOMETRIC DATA





#### **ACCESSORIES**









### THE WORLD'S MOST POWERFUL LED LIGHT

### **Technical Specifications**





### SURFACE PROTECTION TECHNOLOGY

External Grade Powder Coating. High corrosion resistance, suitable for harsh outdoor environments.



### STAINLESS STEEL FIXINGS

Lamp fixings - stainless steel.



#### **HEAT SINK**

The heat sink is comprised of cold forged aluminium which efficiently dissipates the heat but also uses less material reducing the overall weight of the light.



#### **LENS**

- IK09 Anti-UV PC Lens >95% Light Transmission.
- High transmittance PC lens, premium protection and good optical function.



#### **LED TYPE**

- High efficacy and accurate quality colour rendering makes the 3535 and 5050 suitable for use in a broad range of applications.
- High efficiency and Energy saving LEDs.




#### **VIZONA QUALITY WARRANTY**

**5 YEARS**Dominator PRO

Limited Warranty Statement

**Technical Specifications** 



#### **ATTRIBUTES**

- IP66 waterproof rating.
- Premium grade waterproof rubber gaskets.
- · Easy to install.

#### **COOLING TECHNOLOGY**


#### **HEAT SINK**

- · Material cold forged Aluminium.
- · Using less material and reducing the weight of the light.
- · Faster heat dissipation.
- Catering for higher power input.
- Improved watts vs weight ratio providing greater usability.
- · Extended life-cycle.



#### **BRACKET**

- Heavy duty pressed metal design.
- Inbuilt incremental lamp angle adjustment.
- · Corrosion resistant powder coated finish.








THE WORLD'S MOST POWERFUL LED LIGHT

**Technical Specifications** 

#### **DOMINATOR PRO - MOUNTING INSTRUCTIONS**









### **APPLICATIONS**

Sports Fields	Airports	Freight Terminals
Arenas	Mine Sites	Processing Plants
Ports	Refineries	Marshalling Yards

### Vizona Pty Ltd

**T**: 1300 250 150

**E:** info@vizona.com.au **W:** www.vizona.com.au



#### **Locations:**

Sydney: Level 14, 3 Parramatta Square, 153 Macquarie Street, Parramatta NSW 2150

**Perth:** 19 McCook Street, Forrestdale WA 6112

#### Copyright © 2022 Vizona Pty Ltd

The entire contents of this catalogue are protected by copyright. No part of this publication may be reproduced or transmitted without written permission from Vizona Pty Ltd.