

## **STANDARDS**

All products shall conform to the following Australian Standards:

- AS 1170.2 Structural design actions Wind actions
- AS 2159 Piling Design and installation
- · AS 2870 Residential slabs and footings Construction
- AS/NZS 4671 Steel reinforcing materials
- AS/NZS 4600 Cold-formed steel structures
- AS 3678 Structural steel Hot-rolled plates, floorplates and slabs
- AS 1554 (set) Structural steel welding
- AS 4680 Hot-dip galvanized (zinc) coatings on fabricated ferrous articles

## **SIDE VIEW** Note:

This footing has been designed based on standard sandy soil conditions. Final concrete footing dimensions and reinforecement cage length may require adjustment depending on actual site soil classification.

Recommend concrete strength: 32 MPa.



Vizona Ptv Ltd info@vizona.com.au www.vizona.com.au

PROPRIETARY AND CONFIDENTIAL			NAME	DATE	PART NUMBER :
This drawing and the information contained herein are the exclusive property of Vizona Pty Ltd. Any reproduction, disclosure, or distribution—whether in part or in whole-without the prior written consent of Vizona Pty Ltd is strictly prohibited, except where such use is for the express purpose of preparing specifications, project documentation, or design briefs in connection with the intended use of the products by architects, engineers, or related professionals.		DRAWN	MANH P.	08.07.2025	PM30-16-860-1200-4300
		CHECKED	BMS	09.07.2025	FOOT CAGE M30x16-860mm PCD SUIT 1200 DIA. x 4300mm
		REVISED	GMC	09.07.2025	
SCALE: AS SHOWN					
PRODUCT FINISH: H.D.G	PRODUCT WEIGHT: 231.6 kg.	1			0011 1200 Bir (. x 400011111
(HOT DIPPED GALVANIZED)	*NOT INCLUDING THE CONCRETE PILE	COPYRIGHT		<u>HT</u>	
CUSTOMER NAME / PROJECT :		This document is the intellectual property of Vizona Pty Ltd. It must not be copied, traced, reproduced, lent, or disclosed to any third party without the prior written consent of Vizona Pty Ltd, except where such distribution is necessary for professional design or project coordination directly relating		iced, lent, or disclosed tten consent of Vizona in is necessary for	SIZE   DWG. NO.   RE
		to the intended application of the products described herein			SHEET 1 OF 1